Security kernel   Security k	L Number	Hits	Search Text	DB	Time stamp
SS-PGFUB; BRO, JPO; BRO,	- Number				
## security kernel* and @ad < "19990327"   SERVENT; IBM TDB USPAT; US-PGUBS, REPORT   DS-PGUBS, REPORT   DS-		50	security kerner		2001, 20, 20 20.21
- 49 "security kernel" and @ad < "19990327" USPAT, USPAT, USPGUB; EPO, JPO; DERWENT; BM TOB USPAT, U				· '	
- 49 "security kernel" and sad < "19990327" US-PGUB; PGO, JPO; DERKENT, US-PGUB; PGO, JPO; DERKENT, US-PGUB, PGO, JPO; DERKENT, US-PGUB, PGO, JPO; DERKENT, US-PGUB, PGO, JPO; DERKENT, IBM TDB USPAT; US-PGUB, PGO, JPO; DERKENT, IBM TDB USPAT					
39					
Us-CPUB; EPO; JPO; DERMENT; IBM TDB   USPAT; US-CPUB; EPO; JPO; DERMENT; IBM TDB   USPAT; U	_	49	"security kernel" and @ad < "19990327"		2004/10/21 12:03
Common   C	i		•	US-PGPUB;	
Company   Comp				EPO; JPO;	
6 ("security kernel" with processor)  1 (("security kernel" and @ad < "19990327") and ("security kernel" with processor)  1 (("security kernel" and @ad < "19990327") and ("security kernel" with processor) and ("security kernel" with authenticat\$3)  5 ("security kernel" with authenticat\$3) and ("security kernel" with authenticat\$3) and ("security kernel" with authenticat\$3)  6 (("security kernel" with authenticat\$3) and ("security kernel" with authenticat\$3 with ("security kernel" bero; JPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO	1			DERWENT;	1
("security kernel" with processor)	]			IBM_TDB	
	-	6	("security kernel" and @ad < "19990327") and	USPAT;	2004/10/18 10:18
Company   Comp			("security kernel" with processor)		
1		,			
1					
and ("security kernel" with authenticat\$3) and ("security kernel" with authenticat\$3 and ("security kernel" with authenticat\$3 and ("security kernel" with authenticat\$3 and ("security kernel" with authenticat\$3) and ("security kernel" with authenticat\$3) and (sead < "19990327") and (authenticat\$3) and (sead < "19990327") and (authenticat\$3 with ("security kernel" with authenticat\$3) and (sead < "19990327") and (authenticat\$3 with ("security key") or "security key") or "security key") or "security key") or "security key" or "private key" or "common key")  - 673 processor with ("security key" or "private key" or "common key")  - 211 (processor with ("security key" or "private key" or "common key") and (sead < "19990327" us-PoPUB; EPO; JPO; DERWENT; IBM_TDB (sey" or "common key")) and (sed < "19990327" us-PoPUB; EPO; JPO; DERWENT; IBM_TDB (sep); JPO; DERWENT; IBM_					
"security kernel" with authenticat\$3)	-	1			2004/10/18 10:21
Common key'					•
Solution   Security			("security kernel" with authenticats3)		
S					
- 15 "security kernel" with authenticat\$3 US-PGPUB; EPO, JPO, DERWENT; IEM TIDB USPAT; US-PGPUB, EPO, JPO; DERWENT; IEM TIDB USPAT; US-PGPUB, USPAT; US-PGPU		_	/Hangurity kommol H with outhoutigat(2) and	_	2004/10/19 10.33
EPO, JPO; DERWENT; IEM_TDB USPAT; US-PGPUB; EPO, JPO; DERWENT; I	-	5			2004/10/10 10:33
DERMENT;   IBM TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM TDB   USPAT;			Gau \ 1777U321		
IBM TDB   2004/10/18 10:27   US-PGPUB;   EPO; JPO;   DERMENT;   IBM TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERMENT;   US-PGPUB;   EPO; JPO;   DERMENT;   IBM TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERMENT;   US-PGPUB;   USPAT;   US-PGPUB;					
USPAT;   U			·		
US-PGPUB   EPO; JPO; DERMENT; IBM TDB   USPAT; US-PGPUB   EPO; JPO; DE	_	15	"security kernel" with authenticat\$3		2004/10/18 10:27
Company   Comp		-5			. ,
Solution   Company   Control   Con			•	EPO; JPO;	
Comparison of the content of the c				DERWENT;	
@ad < "19990327") and (authenticat\$3 with key)  - 0 ((("security kernel" with authenticat\$3) and @ad < "19990327") and (authenticat\$3) and USPAT; IBM_TDB USPAT; OF "security key") and (authenticat\$3 with key) and (authenticat\$3 with key) and (authenticat\$3 with wey" or "security key")  - 673 processor with ("security key" or "private key" or "common key")  - 211 (processor with ("security key" or "private key" or "common key") and @ad < "19990327"  - 221 (processor with ("security key" or "private key" or "common key")) and @ad < "19990327"  - 27306 "normal mode"  - 27306 "normal mode"  - 1617 (CPU or processor) with "normal mode"  - 1617 (CPU or processor) with "normal mode"  - 1014 ((CPU or processor) with "normal mode") and @ad < "19990327"  - 1014 ((CPU or processor) with "normal mode") and @ad < "19990327"				IBM_TDB	
Rey	-	5			2004/10/20 14:30
DERWENT; IBM_TDB USPAT; US-PGPUB; POOR "normal mode"  1014 ((CPU or processor) with "normal mode")  10 ((("security kernel" with authenticat\$3) and @ad < "19990327" and (authenticat\$3 with ("private key" us-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
18M TDB   18M			key)		
0	ļ				
@ad < "19990327") and (authenticat\$3 with key) and (authenticat\$3 with ("private key" por "security key"))  - 673 processor with ("security key" or "private key" or "common key")  - 211 (processor with ("security key" or "private key" or "common key")) and @ad < "19990327"  - 211 (processor with ("security key" or "private key" or "common key")) and @ad < "19990327"  - 27306 "normal mode"  - 27306 "normal mode"  - 0 "normal mode" with "preferred mode"  - 0 "normal mode" with "preferred mode"  - 1617 (CPU or processor) with "normal mode"  - 1014 ((CPU or processor) with "normal mode") and @ad < "19990327"  - 1014 ((CPU or processor) with "normal mode") and @ad < "19990327"  - 1014 ((CPU or processor) with "normal mode") and @ad < "19990327"					2004/10/10 10:40
key ) and (authenticat\$3 with ("private key" or "security key"))   DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO;	-	0		1	2004/10/18 10:48
or "security key"))  or "security key"))  or "security key")  processor with ("security key" or "private key" or "common key")  (processor with ("security key" or "private key" or "common key")) and @ad < "19990327"  (processor with ("security key" or "private key" or "common key")) and @ad < "19990327"  211 (processor with ("security key" or "private key" or "common key")) and @ad < "19990327"  22004/10/19 13:12  2004/10/19 13:13  2004/10/					
TBM_TDB				· ·	
CPU or processor) with "normal mode"   CPU or processor			or security key //	l ·	:
Rey" or "common key")	_	673	processor with ("security key" or "private		2004/10/19 13:12
CPO; JPO; DERWENT; IBM_TDB   CPO; JPO; DERW			key" or "common key")	US-PGPUB;	
Tem_TDB			-	EPO; JPO;	
- 211 (processor with ("security key" or "private key" or "common key")) and @ad < "19990327"  - 27306 "normal mode"  - 27306 "normal mode"  - 0 "normal mode" with "preferred mode"  - 0 "normal mode" with "preferred mode"  - 1617 (CPU or processor) with "normal mode"  - 1014 ((CPU or processor) with "normal mode") and @ad < "19990327"  - 1014 ((CPU or processor) with "normal mode") and @ad < "19990327"  - 1014 ((CPU or processor) with "normal mode") and @ad < "19990327"  - 1015 (USPAT; USPAT; USPAT; USPAT; USPAT); USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT;	,				
key" or "common key")) and @ad < "19990327"   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DER				-	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;	-	211		-	2004/10/19 13:19
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;			key" or "common key")) and @ad < "19990327"		
TBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; USPAT; US-PGPUB; US-PGPUB; US-PGPUB;					
- 27306 "normal mode"  "normal mode"  "normal mode"  "normal mode" with "preferred mo				1	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;	_	27206	"normal mode"	_	2004/10/20 14:30
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB;	-	2/300	Hormar mode		2001/20/20 24.50
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB;				· ·	
TBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; US-PGPUB;					
- 1617 (CPU or processor) with "normal mode" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB;	[ -	o	"normal mode" with "preferred mode"	_	2004/10/20 14:30
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB;					
- 1617 (CPU or processor) with "normal mode"   IBM_TDB				1	
- 1617 (CPU or processor) with "normal mode" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB ((CPU or processor) with "normal mode") and USPAT; US-PGPUB; @ad < "19990327" US-PGPUB;				1	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB ((CPU or processor) with "normal mode") and USPAT; @ad < "19990327" US-PGPUB;					2004/20/20 7: 7:
EPO; JPO; DERWENT; IBM_TDB USPAT; Quad < "19990327" US-PGPUB;	] -	1617	(CPU or processor) with "normal mode"		2004/10/20 14:31
DERWENT; IBM_TDB ((CPU or processor) with "normal mode") and USPAT; @ad < "19990327" US-PGPUB;					
-   1014 ((CPU or processor) with "normal mode") and   USPAT;   2004/10/20 14:33   US-PGPUB;	ļ <b>i</b>				
- 1014 ((CPU or processor) with "normal mode") and USPAT; 2004/10/20 14:3:  @ad < "19990327" US-PGPUB;					÷
@ad < "19990327" US-PGPUB;	_	1014	((CPU or processor) with "normal mode") and		2004/10/20 14:32
		1014			,,
	j l				
DERWENT;					
IBM_TDB				IBM_TDB	

		[ [ [ [ ] ] ] ] ] [ [ ] [ ] [ ] [ ] [ ]	170D2M	2004/10/20 14 25
-	0	((((CPU or processor) with "normal mode")	USPAT;	2004/10/20 14:35
		and @ad < "19990327") and ("power up" or	US-PGPUB;	
		"start up" or "boot up")) and (CPU with	EPO; JPO;	
		(inaccessible or "not accessible"))	DERWENT;	
		/// (272)	IBM_TDB	2004/10/20 14 25
-	0	(((CPU or processor) with "normal mode") and	USPAT;	2004/10/20 14:35
		@ad < "19990327") and (CPU with	US-PGPUB;	
		(inaccessible or "not accessible"))	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	0	, (((too or proceeded, meeting meeting)	USPAT;	2004/10/20 14:36
		and @ad < "19990327") and ("power up" or	US-PGPUB;	
		"start up" or "boot up")) and 713/164.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	4 . 4
-	152	1 , , , = = =	USPAT;	2004/10/20 14:43
		@ad < "19990327") and ("power up" or "start	US-PGPUB;	
		up" or "boot up")	EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
-	18	((((CPU or processor) with "normal mode")	USPAT;	2004/10/20 17:01
		and @ad < "19990327") and ("power up" or	US-PGPUB;	
		"start up" or "boot up")) and (encrypt\$3 or	EPO; JPO;	
		decrypt\$3 or cypher\$3 or scrambl\$3 or	DERWENT;	
		cryptography)	IBM_TDB	
-	2	5029206.pn.	USPAT;	2004/10/20 17:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	5029206.pn. and (encryption with (proc\$4 or	USPAT;	2004/10/20 17:34
		black))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

•				
-	112	("6240429" "66"	USPAT;	2004/10/21 11:38
		"6253217" "66"	US-PGPUB;	
		"6266682" "66"	EPO; JPO;	
		"6269380" "66"		
			DERWENT;	
		"6324551" "66"	IBM_TDB	
		"6330573" "66"		
		"6370553" "66"		!
	-	"6397231" "66"		
	•	"6772340" "66"		1
		<u>"6775655" "66"</u>	i -	9
		"6182218" "65"		[
		"6424715" "65"		
		"6002772" "65"		i i
		"4264782" "65"		
		"5745569" "65"		
	1	"5784464" "65"		,
	ŀ	- · · · · · · · · · · · · · · · · · · ·		
i		"5898777" "65"		
	:	"5978482" "65"		
1		"6002769" "65"	İ	
	1	"6038316" "65"		
	[			
	1	"6141754"		
	1	"5523859" "65"	Į	
		"5878135" "65"		
		"5933500" "65"	İ	Į l
j				
		"5991399" "65"		
		"6016348" "65"		
		"6023509" "65"		
		"6098056" "65"		
		"6108788" "65"		
		"6199053"		
		"6253193" "65"		
		"6282573" "65"		
		"6289455" "65"		
		"6292569" "65"		l
		"6314521" "65"		
		"6363488" "65"	ł	
		1		
		"6385596" "65"		
		"6385728"		
		"6389402" "65"		
	İ	"6408330" "65"		
		"6427140"		İ
		"6516413" "65"	ļ.	
		"6741991" "65"		
		"6799271" "65"		
				ļ
1	1	"6697944" "58"		
		"6801999" "58"		[ ·
1		"5822432" "57"		
		"5905800" "57"	1	[
	1	"5875249" "57"		
				[
		"6105137" "57").pn.	l	]
[ -	7825	(((encrypt\$3 or encipher or cipher or	USPAT;	2004/10/21 12:09
		scrambl\$3) with (data or text or	US-PGPUB;	
				]
1		application)) and @ad < "19990327") and	EPO; JPO;	
		((encrypt\$3 or encipher or cipher or	DERWENT;	
		scrambl\$3) with (key\$1))	IBM_TDB	
-	2774	((((encrypt\$3 or encipher or cipher or	USPAT;	2004/10/21 12:19
	2//4		,	2001, 10, 21 12.19
		scrambl\$3) with (data or text or	US-PGPUB;	
		application)) and @ad < "19990327") and	EPO; JPO;	
		((encrypt\$3 or encipher or cipher or	DERWENT;	l i
		scrambl\$3) with (key\$1))) and authenticat\$3	IBM_TDB	
	045		USPAT;	2004/10/21 12:19
-	945	(((((encrypt\$3 or encipher or cipher or		2004/10/21 12:19
		scrambl\$3) with (data or text or	US-PGPUB;	
		application)) and @ad < "19990327") and	EPO; JPO;	l l
		((encrypt\$3 or encipher or cipher or	DERWENT;	
	1	scrambl\$3) with (key\$1))) and authenticat\$3)		
			IBM_TDB	
		and hash\$3	L	1

• • •				
-	297	<pre>((((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application)) and @ad &lt; "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3) and ((compar\$3 or match) with hash)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 12:20
-	277		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 12:21
-	207	<pre>((((((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application)) and @ad &lt; "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3) and ((compar\$3 or match) with hash)) and (asymmetric or "public key" or RSA)) and (symmetric or "common key" or DES)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 12:21
	59	<pre>(((((((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application)) and @ad &lt; "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3) and ((compar\$3 or match) with hash)) and (asymmetric or "public key" or RSA)) and (symmetric or "common key" or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 12:22
	16	DES)) and ("copy right" or copyright) ((((((((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application)) and @ad < "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3) and ((compar\$3 or match) with hash)) and (asymmetric or "public key" or RSA)) and (symmetric or "common key" or DES)) and ("copy right" or copyright)) and ((user or consumer) with ((select\$3 or choos\$3 or option) with (data or ebook or "electronic book" or cd or song or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 13:39
	10	application))) ((((((((((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application)) and @ad < "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3) and ((compar\$3 or match) with hash)) and (asymmetric or "public key" or RSA)) and (symmetric or "common key" or DES)) and ("copy right" or copyright)) and ((user or consumer) with ((select\$3 or choos\$3 or option) with (data or ebook or "electronic book" or cd or song or application)))) and laptop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 13:40